

This is a portion of the actual cpm for Anti-PDGF IgG purified wound fluid samples from Days 1-5 in our DNA synthesis mitogenic activity assay. The cpm in the day 1 number 30 is significantly above the background level of 2226 to 3886 cpm numbers 51-54. However, the samples from days 3-5 (numbers 33-38) range from 1735 to 3671 which are the same as background and therefore do not exhibit any mitogenic activity.

Samples 43-58 are standards containing different amounts of PDGF or (49-50) FGF.

These data indicate that we could not detect any mitogenic activity in samples that contain the 34-36 kDa peptides.

ELUTION		Sample #		D									
FROM	GEL	31	5.00	52	00	1	(4527	1.33	4078	1.40	13.0	?
		32	5.00	52	00	2	(2882	1.67	2618	1.75	13.2	?
		33	5.00	53	00	3	(3277	1.56	2979	1.64	13.2	?
		34	5.00	53	00	3	(3302	1.56	2995	1.63	13.2	?
		35	5.00	53	00	3	(1735	2.15	1579	2.25	13.4	?
		36	5.00	54	00	4	(2833	1.68	2568	1.77	13.1	?
		37	5.00	54	00	4	(3671	1.48	3338	1.55	13.2	?
		38	5.00	54	00	5	(2393	1.83	2164	1.92	13.1	?
		39	5.00	54	00	5	(36272	.47	32530	.50	12.6	?
		40	5.00	54	00	5	(18347	.66	16457	.70	12.8	?
		41	5.00	54	00	5	(5988	1.16	5373	1.22	12.8	?
		42	5.00	54	00	5	(6678	1.09	6034	1.15	13.0	?
		43	5.00	54	00	5	(5437	1.21	4906	1.28	13.1	?

STD.

P#	S#	TIME	CPMA/K	%DEV	CPMB/K	%DEV	QIP	FLAGS	SCR	MIN
3	48	5.00	1209	2.57	1081	2.72	13.5	?	.904	253
3	49	5.00	8682	.96	7830	1.01	13.0	?	.902	259
3	50	5.00	7108	1.06	6471	1.11	13.5	?	.910	264
3	51	5.00	3378	1.54	3083	1.61	13.8	?	.913	269
3	52	5.00	3886	1.43	3557	1.50	13.7	?	.915	275
3	53	5.00	3612	1.49	3257	1.57	12.9	?	.902	280
3	54	5.00	2226	1.90	1994	2.00	12.9	?	.904	285
3	55	5.00	19848	1.66	17808	1.67	12.9	1?	.905	290
3	56	5.00	24066	1.66	21734	1.61	13.0	1?	.903	296
3	57	5.00	8579	.97	7773	1.01	13.1	?	.906	301
3	58	5.00	9139	.94	8328	.98	13.3	?	.911	306
3	59	5.00	5712	1.18	5169	1.24	13.3	?	.905	311
3	60	5.00	5647	1.15	5445	1.24	13.0	?	.906	317

EXHIBIT A